Tron 60S/GPS

Float-free and manual EPIRB



- Integrated GPS ensures accurate positioning
- 5 year warranty
- 7 year battery life





Tron 60S/GPS

A compact and tamper-proof GMDSS EPIRB

Tron 60S/GPS complies to IMO, SOLAS regulation. With a high-intensity LED located at the top of the antenna, Tron 60S/GPS has optimal visibility. The EPIRB is supplied either with a manual or a float-free bracket.

Technical specifications

PARAMETER	
Battery	Lithium metal, 12 V/2900 mAh. 5 year service life
Dimensions	Height: 340 mm, diameter: 128 mm
Weight	680 g
Material	Glass reinforced polycarbonate
Compass safe distance	0.85 m
Temperature range	Operating: -20°C to + 55°C
	Storage: -30°C to +70°C
Operating life	Minimum 48 hours at -20°C
Antenna	Omnidirectional
Cospas-Sarsat transmitter	Frequency: 406.037 MHz, output power: 5 W
Homing transmitter	Frequency: 121.500 MHz
	Output power: Up to 100 mW
Protocols	Maritime, serialized, radio call sign
Navigation device	56 channel GPS receiver (Tron 60GPS)
ACCESSORIES	
Brackets	Float-free FB-60 and manual MB-60
Battery	Replacement kit
Hydrostatic release	HRU kit
WARRANTY	5 year from factory

Float-free and manual bracket







Mackay Marine - High Seas

+1 281 479 1515 marinesales@mackaymarine.com

Mackay Communications, Satellite Solutions

+1 919 850 3100 satserv@mackaycomm.com

Mackay Marine Canada

+1 902 469 8480 sales.canada@mackaymarine.com

Mackay Marine Alaska & Pacific Northwest

NWsales@mackaymarine.com Ballard/AK: 206 282 8080

South Seattle/Tacoma: 253 922 6260

v. 8 Jotron AS reserves the right to change any content herein without notice $% \left(1\right) =\left(1\right) \left(1\right) \left($



